

 Lerado Magyarország by Hunex Kft.: www.lerado.hu	Gyártja: ShangHai Lerado Daily article CO., LTD. Address: No.665 Fulian Road, Baoshan District, Shanghai, China 201906	Importálja: Hunex Külkereskedelmi Kft. 1045 – Budapest, Széchenyi tér 10. www.jatekfutar.hu Tel/Fax: 00.36.1.3.698.220
---	--	--

**Kerti játszótér családi, otthoni használatra, 2 éves kortól idősebb gyerekek számára.
A termék használatát 2 éves kortól fiatalabb gyermek számára nem ajánljuk !**

Step2-Lerado 1999-2001 együttműködés alapján licenc termék.
Szabadalommal védett termék. Engedély szám: 200630066893.6

Köszönjük, hogy Lerado terméket vásárolt. Amennyiben a termékkel kapcsolatban bármilyen kérdése, észrevétele merülne fel, kérjük hívjon bennünket a 00.36.1.3.698-220-as telefonszámon vagy írjon nekünk e-mailt az info@hunex.hu e-mail címre.

Amennyiben úgy döntene, hogy nem tart tovább igényt a termékre, kérjük, hogy adja le olyan helyen a játékot, ahol az újrahasznosítás feltételei adottak, a Lerado termékek ugyanis 100%-ban újrahasznosítható anyagból készültek.

Kérjük, hogy **a telepítési útmutatót őrizze meg**, a termék telepítésekor az ebben leírtak szerint járjon el, ezáltal megelőzve az esetleges személyi sérüléseket, illetve termékben keletkezendő károkat. Ezen útmutató gyári, angol nyelvű példányát a csomagoláson belül találja.

! Figyelmeztetés

- Soha ne állítsa a játszótérre kemény felületre ! Betonon, aszfalton, fa felületen illetve más kemény felületeken való felállítás és használat során a gyermek súlyos sérüléseket szenvedhet ! Ajánlatos a termék alá gumi őrlemény lapot helyezni, mely az esetleges ütések erejét csillapíthatja.
- Figyeljen oda, hogy a gyermek ne vigyen fel a játszótérre és ne játsszon a játszótéren olyan más játékokkal, melyek ezen terméknek nem tartozékai !
- Fokozottan figyeljen rá, hogy ne vigyen a gyermek a játszótér közelébe se: kötelet, láncot, ugrókötelet, ugráló karikát, kutya pórát, ezek ugyanis nagyon súlyos sérüléseket okozhatnak
- A termék összeszerelését szigorúan csak felnőtt végezheti ! A játék csomagoló anyagát minden esetben távolítsuk el és tegyük el a gyermek közeléből, az ugyanis fulladást okozhat ! A játszótér egyes alkatrészei (pl. csavarok) egészen kis méretűek, ne engedjük, hogy a termék teljes összeszerelése előtt a gyermek az alkatrészekkel játsszon, ezek lenyelése **fulladás veszélyt** jelent, súlyos sérülésekhez vezethet ! Amennyiben azt tapasztalja, hogy a gyermek valamely alkatrészt lenyelte, **azonnal forduljanak orvoshoz !**

A játszótér szerelése és üzembe helyezése.

Ezt a játékot úgy tervezték, hogy a vele játszó gyermekeknek nagyszerű élményt és szórakozást nyújtson, s egyben biztonságban játszhassanak. Kérjük, hogy ezen útmutatót az a felnőtt is olvassa el, aki a gyermekeket játék közben felügyeli.

Telepítési leírás:

1. A termék kicsomagolása előtt válassza meg a helyet, ahova a terméket telepíti. A megfelelő hely kiválasztásakor ügyeljen rá, hogy teljesen vízszintes felületre állítsa a terméket, a csúszdák beülési pontja soha ne legyen nappal szemben.
2. A telepítési hely 2 méteres közelében ne legyen semmilyen tárgy ! Ne állítsa a terméket kerítés, garázs, ház, fák/bokrok, kövek, sziklakert, beton, téglá, egyéb építési törmelék, kifeszített kötél vagy drót pálya, tó, szökőkút, lépcső, folyó, úttest stb.. közelébe !
3. Zárt kerítéssel elkerített, védett helyre állítsa fel a játszótér ! Ne válasszon lejtős / teraszos helyet, laza talajszerkezetű részt, ahol az esetleges heves esőzés a játszótér rögzítési pontjait kimoshatja ! Hagyjon elegendő teret a játék körül !
4. A termék alá gumitéglá/gumiőrlemény lap szerelése ajánlott. Ezen művelet elvégzésével bízson meg megfelelő gyakorlattal és szakértelemmel rendelkező céget, vállalkozót !
5. A játszótér esési magassága: 44,5 inches / 1112 cm .
6. A termék elhelyezésekor válasszon kellemes, árnyékos helyet. Ne hagyja, hogy a gyermek a tűző napon kint játsszon !
7. A játszótérrel a teljes összeszerelés befejezése előtt **SOHA NE HASZNÁLJÁK !**

Használati tájékoztató:

1. Mint minden más játékot, természetesen ezt a játékot sem lehet szülői vagy pedagógusi felügyelet nélkül használni !
2. A gyermekek játékát felügyelő felnőtt fordítson figyelmet a gyermekek öltözkéire (ne lógjon a cipőfűző, ne legyen megkötős pulóver, kapucni a gyermekén) Ne viseljen a gyermek poncsót, sálát, bukósisakot.
3. A terméket egyszerre maximum 5 gyermek használhatja. A termék maximális terhelhetősége: 240lbs / 109 kg. Soha ne terhelje túl a játékot !
4. Amennyiben a hőmérséklet 0C fok alá csökken, ne használják a játékot. Extrém hidegben a műanyag rugalmassága csökken és a ránehezülő terhelés hatására sérülhet annak szerkezete. Amennyiben lehetőségük van rá tegyék védett, zárt, temperált helyre, amennyiben erre nincs lehetőségük, úgy takarják le védő fóliával a játszótérre és gondoskodjanak a ráhullott eső, hó, egyéb csapadék folyamatos eltávolításáról.
5. Soha ne engedje, hogy a gyermek felmenjen a játszótérre, ha arra eső, hó vagy jégeső esett vagy csak bármitől benedvesedett.
6. A csúszda csúszófelületén egyszerre csak egy gyermek tartózkodhat !

Karbantartási leírás:

1. A játszótér csatlakozási pontjait, az idomok illesztéket legalább havonta 2 alkalommal ellenőrizze le ! A kerti játék szezon kezdetekor és végeztével mindig nézze meg a csavarok feszességét, ha szükséges húzza meg ismét a csavarokat, amennyiben szükséges cserélje ki őket ! Csak eredeti, gyárilag használt és tervezett alkatrészeket használjon ! Amennyiben alkatrésze van szüksége, keresse fel az importőrt a 3.698.220-as telefonszámon!
2. Amennyiben 0C fok alá esik a hőmérséklet, szerelje le és vigye temperált, száraz helyre a hinta ülőkéket, a köteleket és a lánchrészt.
3. A mozgó fém alkatrészeket a kerti játék szezon időtartama alatt havonta olajozza meg.
4. A fém alkatrészeket rendszeres időközönként az autóknál is használatos wax-szal tisztítsa át. Amennyiben a vas alkatrészek korrodálódni kezdenének az évek múltával, kezelje le azokat korrodálódás elleni védőfestékkel.
5. A termék műanyag felületes semleges mosószeres, langyos vízzel tisztítandók.

A szereléshez szükséges sematikus ábrákkal ellátott szerelési útmutatót lásd a csomagolásban.

A szerelést minimum 2 felnőtt végezze ! A szereléshez szükséges alkatrészek: Philips csavarhúzó, kalapács, csípőfogó, lehetőleg elektromos csavarhúzó.

Mellékletek:

1. Lerado kerti játékok általános tájékoztató és jótállási jegy
2. Lerado La06 sematikus szerelési ábra másolat (Termék csomagolásában található !)
3. Lerado La06 SGS teszt
MSZ EN 71 1: Mechanikai és fizikai tulajdonságok
MSZ EN 71 2: Gyúlékonyság
MSZ EN 71 3: Bizonyos elemek migrálása

Felhívjuk szíves figyelmüket, hogy a fent felsorolt sorozatkövetelményeinek teljesülése sem mentesíti a szülőket / pedagógusokat azon felelősségük alól, hogy a gyermeket játszás közben felügyeljék vagy felügyeletéről gondoskodjanak !

Test Report

No. SHT2600792

Date: MAY.22.2006

Page 1 of 4

SHANGHAI LERADO DAILY ARTICLE CO., LTD
NO.665, FULIAN ROAD, BAOSHAN DISTRICT, SHANGHAI

Report on 1 submitted samples of Toy said to be LA06 DELUXE PLAYING CENTER

Detail of Sample Received: KNOCKED-DOWN PLASTIC PLAYING CENTER WITH SLIDE, CLOCK, SKYLIGHT, BRIDGE CONNECT TO LOOK-OUT TOWER WITH ROTATING STEERING WHEEL, TELESCOPE, CLIMBING LADDER AND TUNNEL UNDER THE CENTER, PRINTED CARTON PACKED.

Labeled Age Grading : 2-5 YEARS
Sample Receiving Date : MAR.20.2006
1ST Sample Resubmitted Date : APR.29.2006
2ND Sample Resubmitted Date : MAY.15.2006
Further Information Date : MAY.18.2006
Testing Period : MAR.20.2006 TO MAY.18.2006

Test Requested

Result

As per clients request, test for compliance with the European Standard on Safety of Toys -

- EN71 Part 1:2005- Mechanical and Physical Properties	Pass
- EN71 Part 2:2003 - Flammability of Toys	Pass
- EN71 Part 3:1994 +A1:2000 - Migration of Certain Elements	Pass

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS-CSTC Ltd.


Cathy Wang
Section Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full, without written approval of the Company.

SGS (Shanghai) Technical Co., Ltd. | 7/F, 3rd Building, No.686, Yiehun Road, Shanghai, China 200230 | (86-21)61402666 * 2013 | (86-21)64503353 | www.cn.sgs.com
SGS (Shanghai) Technical Co., Ltd. | 中国·上海·宜山路686号3号楼7层 | 邮编: 200230 | (86-21)61402666 * 2013 | (86-21)64503353 | sgs-china@sgs.com

SHHG 160754

Member of the SGS-Group (SGS SA)

Results :

European Standard on Safety of Toys

- Mechanical and Physical Properties

AS SPECIFIED IN EUROPEAN STANDARD ON SAFETY OF TOYS EN71 PART 1: 2005

Clause	Description	Result
4	General requirements	
4.1	Material (by visual assessment).....	<u>Pass</u>
4.2	Assembled Toys.....	<u>Pass</u>
4.7	Edges.....	<u>Pass</u>
4.8	Points and Wires.....	<u>Pass</u>
4.14	Enclosures:	
4.14.1	Toys which a child can enter.....	<u>Pass</u>
4.15	Toys intended to bear the mass of a child:	
4.15.4	Toys not propelled by a child.....	<u>Pass</u>
4.20	Acoustics.....	<u>Pass</u>
5	Toys intended for children under 36 months	
5.1	General requirements:	
5.1a	Small part requirement on toys & removable Components (Test method 8.2).....	<u>Pass</u>
5.1b	Torque test (Test method 8.3).....	<u>Pass</u>
	Tension test (Test method 8.4).....	<u>Pass</u>
	Drop test (Test method 8.5).....	<u>Pass</u>
	Impact test (Test method 8.7).....	<u>Pass</u>
	Compression test (Test method 8.8).....	<u>Pass</u>
	Sharp edge (Test method 8.11).....	<u>Pass</u>
	Sharp point (Test method 8.12).....	<u>Pass</u>
5.1f	Splinters.....	<u>Pass</u>
6	Packaging.....	<u>Pass</u>
7	Warnings and instructions for use	
7.1	General Requirements.....	<u>Pass</u>

- Flammability of Toys

AS SPECIFIED IN EUROPEAN STANDARD ON SAFETY OF TOYS EN71 PART 2 : 2003.

Clause	Description	Result
4.1	General Requirements.....	<u>Pass</u>

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full, without written approval of the Company.



SHHG 160765

SGS-Standard Technical Services Co., Ltd. | 7/F, 3rd Building, No.889, Yishan Road, Shanghai, China 200233 | t (86-21)61402666 * 2013 | f (86-21)54500353 | www.cn.sgs.com
 Shanghai East Toys Laboratory | 中国·上海·宜山路889号3号楼7层 | 邮编:200233 | t (86-21)61402666 * 2013 | f (86-21)54500353 | e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No. SHT2600792

Date: MAY 22, 2006

Page 3 of 4

- Migration of Certain Elements

AS SPECIFIED IN EUROPEAN STANDARD ON SAFETY OF TOYS EN71 PART 3 : 1994 (INCLUDES AMENDMENT A1:2000) - MIGRATION OF CERTAIN ELEMENTS. ANALYSIS WAS PERFORMED BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROMETER.

Element		No. 1	No. 2*	No. 3*	Limit
Soluble Lead	(Pb)	< 5	< 5	< 5	90 mg/kg
Soluble Antimony	(Sb)	< 5	< 5	< 5	60 mg/kg
Soluble Arsenic	(As)	< 2.8	< 2.8	< 2.8	25 mg/kg
Soluble Barium	(Ba)	< 10	< 10	< 10	1000 mg/kg
Soluble Cadmium	(Cd)	< 5	< 5	< 5	75 mg/kg
Soluble Chromium	(Cr)	< 5	< 5	< 5	60 mg/kg
Soluble Mercury	(Hg)	< 6.7	< 6.7	< 6.7	60 mg/kg
Soluble Selenium	(Se)	< 10	< 10	< 10	500 mg/kg

Element		No. 5*	No. 6*	No. 7*	Limit
Soluble Lead	(Pb)	< 5	< 5	< 5	90 mg/kg
Soluble Antimony	(Sb)	< 5	< 5	< 5	60 mg/kg
Soluble Arsenic	(As)	< 2.8	< 2.8	< 2.8	25 mg/kg
Soluble Barium	(Ba)	< 10	< 10	< 10	1000 mg/kg
Soluble Cadmium	(Cd)	< 5	< 5	< 5	75 mg/kg
Soluble Chromium	(Cr)	< 5	< 5	< 5	60 mg/kg
Soluble Mercury	(Hg)	< 6.7	< 6.7	< 6.7	60 mg/kg
Soluble Selenium	(Se)	< 10	< 10	< 10	500 mg/kg

Element		No. 8*	No. 9*	No. 10*	Limit
Soluble Lead	(Pb)	< 5	< 5	< 5	90 mg/kg
Soluble Antimony	(Sb)	< 5	< 5	< 5	60 mg/kg
Soluble Arsenic	(As)	< 2.8	< 2.8	< 2.8	25 mg/kg
Soluble Barium	(Ba)	< 10	< 10	< 10	1000 mg/kg
Soluble Cadmium	(Cd)	< 5	< 5	< 5	75 mg/kg
Soluble Chromium	(Cr)	< 5	< 5	< 5	60 mg/kg
Soluble Mercury	(Hg)	< 6.7	< 6.7	< 6.7	60 mg/kg
Soluble Selenium	(Se)	< 10	< 10	< 10	500 mg/kg

Results shown are of the total weight of sample

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full, without written approval of the Company.



SHHG 160766

SGS (Shanghai) Services Limited, Co., Ltd. | 7/F, 3rd Building, No. 888, Yishan Road, Shanghai, China 200233 | T: (86-21) 61402866 * 2013 | F: (86-21) 64900365 | www.cn.sgs.com
 中国·上海·宜山路888号3号楼7层 | 邮编: 200233 | T: (86-21) 61402866 * 2013 | F: (86-21) 64900365 | e: sgs.cn@sgs.com

Member of the SGS Group (SGS SA)

Sample Appearance Description:

- No.1 Grey plastic
- No.2 Rose plastic
- No.3 Blue plastic
- No.4 White coating
- No.5 Green plastic
- No.6 White label with black printing
- No.7 Blue transparent plastic
- No.8 White plastic nail
- No.9 White plastic
- No.10 Yellow plastic

Note < = Less than

Results shown are of the adjusted analytical results.

As received, the test portion of sample No.4 is less than 10mg, therefore such components were not tested for migration of certain elements, as specified in the European Standard, EN71 part 3 : 1994, Clause 7 - selection of test portions

- * The test results No.2 are taken from report SHT2600784, Date: 22/05/2006
- * The test results No.3 are taken from report SHT2600786, Date: 22/05/2006
- * The test results No.5 are taken from report SHT2600784, Date: 22/05/2006
- * The test results No.6 are taken from report SHT2600786, Date: 22/05/2006
- * The test results No.7 are taken from report SHT2600790, Date: 22/05/2006
- * The test results No.8 are taken from report SHT2600785, Date: 22/05/2006
- * The test results No.9 are taken from report SHT2600784, Date: 22/05/2006
- * The test results No.10 are taken from report SHT2600787, Date: 22/05/2006

- N.B. - Only applicable clauses were shown.
- Photo Appendix is included.
- Clause 4.20 Acoustics of EN71-1:2005 was subcontracted to SGS SZ Toys Lab.
*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full, without written approval of the Company.

**SHHG 160787**

SGS Limited, 9th Floor, 3800 Road, Shanghai, China 200233 | Tel: +86-21-61402888 | Fax: +86-21-64603650 | www.cn.sgs.com
SGS (China) Limited, 9th Floor, 3800 Road, Shanghai, China 200233 | Tel: +86-21-61402888 | Fax: +86-21-64603650 | sgs-china@sgs.com

Member of the SGS Group (SGS SA)

Photo Appendix

Product Name : LA06 DELUXE PLAYING CENTER



SGS authenticate the photo on original report only


Approve signature

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full, without written approval of the Company.



SGS (China) Technical Co., Ltd.
Suzhou Road, Suzhou, Jiangsu, P.R. China

7/F, 3rd Building, No.888, Yishan Road, Shanghai, China 200231 t: (86-21)91403887-2013 f: (86-21)64803333 www.cn.sgs.com
中国·上海·宜山路888号3号楼7楼 邮编: 200231 t: (86-21)91403887-2013 f: (86-21)64803333 e: sgs.china@sgs.com

SHHG 150915

Member of the SGS Group (SGS SA)

Telepítési rajz: Lerado-La06 Delux játszótérhez / La519 Pavilon házhoz

(Termék csomagolásában található sematikus, rajzos ábra alapján.)